Appl. No. 10/006,591 Amdt. Dated May 5, 2004 Reply to Office Action of January 5, 2004 Page 2 of 10

AMENDMENT TO CLAIMS

1. (currently amended) A plasmid comprising:

a primer sequence <u>incorporated into the plasmid</u>, the <u>primer sequence being</u> capable of annealing to a first portion of nucleic acid encoding a polypeptide;

a collar sequence <u>incorporated into the plasmid</u>, the <u>collar sequence being</u> capable of annealing to a second portion of the nucleic acid encoding a polypeptide, the second portion of the nucleic acid encoding a polypeptide being <u>separated by</u> at least 20 nucleotides removed from the first portion of the nucleic acid encoding a polypeptide; and

at least one restriction site located between the primer and collar sequences.

- 2. (original) A plasmid as in claim 1 wherein the primer and collar sequences are capable of annealing to first strand cDNA encoding a polypeptide.
- 3. (original) A plasmid as in claim 1 wherein the primer and collar sequences are capable of annealing to mRNA encoding a polypeptide.
- 4. (original) A plasmid as in claim 1 wherein the primer and collar sequences are capable of annealing to mRNA encoding at least a portion of an antibody.
- 5. (currently amended) A plasmid as in claim 1 wherein the collar sequence is capable of annealing to a portion of the nucleic acid encoding a polypeptide that is remote separated in the 5' direction from the portion of the nucleic acid to which the primer sequence is capable of annealing.
 - 6. (original) A host cell transformed with a plasmid of claim 1.

Claims 7-22 (cancelled).

Appl. No. 10/006,591 Amdt. Dated May 5, 2004 Reply to Office Action of January 5, 2004 Page 3 of 10

23. (currently amended) A plasmid comprising:

a downstream primer <u>sequence incorporated into the plasmid</u>, the downstream primer <u>being</u> capable of annealing to a first portion of mRNA encoding at least a portion of an antibody; an upstream collar sequence <u>incorporated into the plasmid</u>, the upstream collar sequence

being capable of annealing to a second portion of the mRNA encoding at least a portion of an antibody; and

at least one restriction site located between the downstream primer <u>sequence</u> and upstream collar sequence <u>incorporated into the plasmid</u>.

- 24. (original) A plasmid as in claim 23 wherein the upstream collar sequence is capable of annealing to a portion of the mRNA encoding a framework region of an antibody.
- 25. (original) A plasmid as in claim 23 wherein the upstream collar sequence is capable of annealing to a leader sequence of the mRNA encoding an antibody.
- 26. (original) A plasmid as in claim 23 wherein the upstream collar sequence is capable of annealing to a portion of the mRNA encoding a framework region associated with a light chain of an antibody.
- 27. (original) A plasmid as in claim 23 wherein the upstream collar sequence is capable of annealing to a portion of the mRNA encoding a framework region associated with a heavy chain of an antibody.
- 28. (original) A plasmid as in claim 23 wherein the downstream primer is capable of annealing to a portion of the mRNA encoding a constant region of an antibody.

Appl. No. 10/006,591 Amdt. Dated May 5, 2004 Reply to Office Action of January 5, 2004 Page 4 of 10

- 29. (original) A plasmid as in claim 23 wherein the downstream primer is capable of annealing to a portion of the mRNA encoding a constant region associated with a light chain of an antibody.
- 30. (original) A plasmid as in claim 23 wherein the downstream primer is capable of annealing to a portion of the mRNA encoding a framework two (FR2), framework three (FR3) or framework four (FR4) region associated with a light chain of an antibody.
- 31. (original) A plasmid as in claim 23 wherein the downstream primer is capable of annealing to a portion of the mRNA encoding a constant region associated with a heavy chain of an antibody.
- 32. (currently amended) A plasmid as in claim 23 wherein the downstream primer is capable of annealing to a portion of the mRNA encoding a framework two (FR2), framework three (FR3) or framework four (FR4) region associated with <u>a</u> heavy chain of an antibody.
- 33. (original) A plasmid as in claim 23 wherein the downstream primer comprises SEQ. ID. NO: 4.
- 34. (original) A plasmid as in claim 23 wherein the downstream primer comprises SEQ. ID. NO: 8.
- 35. (original) A plasmid as in claim 23 wherein the upstream collar sequence comprises SEQ. ID. NO: 3.
- 36. (original) A plasmid as in claim 23 wherein the upstream collar sequence comprises SEQ. ID. NO: 7.

Appl. No. 10/006,591 Amdt. Dated May 5, 2004 Reply to Office Action of January 5, 2004 Page 5 of 10

37. (original) A host cell transformed with a plasmid of claim 23.

Claims 38-72 (cancelled).

- 73. (original) A plasmid as in claim 1 wherein two restriction sites that are the same or different are located between the downstream primer and upstream collar sequences.
- 74. (original) A plasmid as in claim 23 wherein two restriction sites that are the same or different are located between the downstream primer and upstream collar sequences.

Claims 75-84 (cancelled).